

10/26/2007 13:47 FAX 703 308 9759

A

001

## SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.: X

DATE : October 04, 2007TO SPE OF : ART UNIT 2831SUBJECT : Request for Certificate of Correction for Appl. No.: 09/919,006 Patent No.: 6897377 B2

A response is requested with respect to a request for a certificate of correction.

With respect to the change(s) requested to correct Office and/or Applicant's errors, should the patent read as shown in the certificate of correction attached herewith or the COCIN document(s), in IFW images for the above-identified patented application? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

If the response is for an IFW, within 7 days, please complete and forward the response to the employee (named below) via scanning into application images, using document code COCX.

## DO NOT SENT TO ATTORNEY

If the response is for a paper file wrapper, please complete the response and forward the response with the paper file wrapper, to the employee (named below), within 7 days, to:

**Certificates of Correction Branch (CofC)**  
**South Tower - 9A22**  
**Palm Location 7580**

**LAMONTE NEWSOME**

Certificates of Correction Branch

703-308-9390 ext. 112

Thank You For Your Assistance

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☒ **Approved**

All changes apply.

☐ **Approved in Part**

Specify below which changes do not apply.

☐ **Denied**

State the reasons for denial below.

Comments: \_\_\_\_\_

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

*Klean A. Burchard*  
 SPE

2831  
 Art Unit

PTOL-308 (REV. 7/03)

U.S. DEPARTMENT OF COMMERCE Patent and Trademark Office

PAGE 1/1 \* RCVD AT 10/26/2007 1:35:32 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-2/5 \* DNIS:2731984 \* CSID:703 308 9759 \* DURATION (mm-ss):00-44

PAGE 1/1 \* RCVD AT 11/6/2007 4:21:43 PM [Eastern Standard Time] \* SVR:USPTO-EFXRF-1/11 \* DNIS:2709990 \* CSID: \* DURATION (mm-ss):00-38